

REPORTED TO Mid Shuswap Lumby Water Stewards
1631 Mable Lake Rd
Lumby, BC V0E 2G6

TEL (250) 547-2554
FAX -

ATTENTION Russ Collins

WORK ORDER 5070744

PO NUMBER

RECEIVED / TEMP Jul-13-15 09:30 / 0°C

PROJECT Analytical Testing

REPORTED Jul-20-15

PROJECT INFO

COC NUMBER 40837.5581

General Comments:

CARO Analytical Services employs methods which are conducted according to procedures accepted by appropriate regulatory agencies, and/or are conducted in accordance with recognized professional standards using accepted testing methodologies and quality control efforts, except where otherwise agreed to by the client.

The results in this report apply to the samples analyzed in accordance with the Chain of Custody or Sample Requisition document. This analytical report must be reproduced in its entirety. CARO is not responsible for any loss or damage resulting directly or indirectly from error or omission in the conduct of testing. Liability is limited to the cost of analysis. Samples will be disposed of 30 days after the test report has been issued unless otherwise agreed to in writing.



Authorized By:

Ed Hoppe, B.Sc., P.Chem.
Division Manager, Kelowna

***If you have any questions or concerns, please contact your Account Manager:
Bryan Shaw, Ph.D. (bshaw@caro.ca)***

Locations:

#110 4011 Viking Way
Richmond, BC V6V 2K9
Tel: 604-279-1499 Fax: 604-279-1599

#102 3677 Highway 97N
Kelowna, BC V1X 5C3
Tel: 250-765-9646 Fax: 250-765-3893

17225 109 Avenue
Edmonton, AB T5S 1H7
Tel: 780-489-9100 Fax: 780-489-9700

www.caro.ca

REPORTED TO PROJECT Mid Shuswap Lumby Water Stewards
Analytical Testing

WORK ORDER REPORTED 5070744
Jul-20-15

Analysis Description	Method Reference	Technique	Location
Ammonia-N in Water (total)	APHA 4500-NH3 G*	Automated Colorimetry (Phenate)	Kelowna
Anions in Water by IC	APHA 4110 B	Ion Chromatography with Chemical Suppression of Eluent Conductivity	Kelowna
Conductivity in Water	APHA 2510 B	Conductivity Meter	Kelowna
E. coli (Partition)	APHA 9222 G	Membrane Filtration / Nutrient Agar with MUG	Kelowna
pH in Water	APHA 4500-H+ B	Electrometry	Kelowna
Total Kjeldahl Nitrogen in Water	APHA 4500-Norg D*	Block Digestion and Flow Injection Analysis	Kelowna
Total Phosphorus in Water	APHA 4500-P B.5 / APHA 4500-P F	Persulfate Digestion / Automated Colorimetry (Ascorbic Acid)	Kelowna
Total Phosphorus, dissolved	APHA 4500-P B.5 / APHA 4500-P F	Persulfate Digestion / Automated Colorimetry (Ascorbic Acid)	Kelowna
Turbidity	APHA 2130 B	Nephelometry	Kelowna

Note: An asterisk in the Method Reference indicates that the CARO method has been modified from the reference method

Method Reference Descriptions:

APHA Standard Methods for the Examination of Water and Wastewater, 22nd Edition, American Public Health Association/American Water Works Association/Water Environment Federation

Glossary of Terms:

MRL Method Reporting Limit
 < Less than the Reported Detection Limit (RDL) - the RDL may be higher than the MRL due to various factors such as dilutions, limited sample volume, high moisture, or interferences
 CFU/100 mL Colony Forming Units per 100 millilitres
 mg/L Milligrams per litre
 NTU Nephelometric Turbidity Units
 pH units pH < 7 = acidic, pH > 7 = basic
 µS/cm Microsiemens per centimetre

Standards / Guidelines Referenced in this Report:

Guidelines for Canadian Drinking Water Quality (Oct 2014)

Website: http://www.hc-sc.gc.ca/ewh-semt/alt_formats/pdf/pubs/water-eau/sum_guide-res_recom/sum_guide-res_recom-eng.pdf

Note: In some cases, the values displayed on the report represent the lowest guideline and are to be verified by the end user

REPORTED TO PROJECT Mid Shuswap Lumby Water Stewards
Analytical Testing

WORK ORDER REPORTED 5070744
Jul-20-15

Analyte	Result / Recovery	Standard / Guideline	MRL / Limits	Units	Prepared	Analyzed	Notes
---------	-------------------	----------------------	--------------	-------	----------	----------	-------

Sample ID: Harris Creek (Hwy 6) (5070744-01) [Water] Sampled: Jul-12-15

PRES

Anions

Chloride	2.12	AO ≤ 250	0.10	mg/L	N/A	Jul-14-15	
Nitrate as N	0.036	MAC = 10	0.010	mg/L	N/A	Jul-14-15	
Nitrite as N	< 0.010	MAC = 1	0.010	mg/L	N/A	Jul-14-15	
Sulfate	22.5	AO ≤ 500	1.0	mg/L	N/A	Jul-14-15	

General Parameters

Conductivity (EC)	245	N/A	2	µS/cm	N/A	Jul-13-15	
Ammonia as N, Total	< 0.020	N/A	0.020	mg/L	N/A	Jul-14-15	
Nitrogen, Total Kjeldahl	< 0.05	N/A	0.05	mg/L	Jul-14-15	Jul-16-15	
pH	7.90	6.5-8.5	0.01	pH units	N/A	Jul-13-15	HT2
Phosphorus, Total as P	0.033	N/A	0.002	mg/L	Jul-13-15	Jul-15-15	
Phosphorus, Total Dissolved	0.023	N/A	0.002	mg/L	Jul-13-15	Jul-15-15	
Turbidity	1.5	OG < 0.1	0.1	NTU	N/A	Jul-13-15	

Calculated Parameters

Nitrate+Nitrite as N	0.036	N/A	0.010	mg/L	N/A	N/A	
Nitrogen, Total	< 0.050	N/A	0.050	mg/L	N/A	N/A	

Microbiological Parameters

E. coli	1900	MAC = None Detected	1	CFU/100 mL	Jul-14-15	Jul-15-15	HT1
---------	------	---------------------	---	------------	-----------	-----------	-----

Sample ID: Duteau Creek (Hwy 6) (5070744-02) [Water] Sampled: Jul-12-15 11:00

PRES

Anions

Chloride	3.58	AO ≤ 250	0.10	mg/L	N/A	Jul-14-15	
Nitrate as N	0.093	MAC = 10	0.010	mg/L	N/A	Jul-14-15	
Nitrite as N	< 0.010	MAC = 1	0.010	mg/L	N/A	Jul-14-15	
Sulfate	9.6	AO ≤ 500	1.0	mg/L	N/A	Jul-14-15	

General Parameters

Conductivity (EC)	121	N/A	2	µS/cm	N/A	Jul-13-15	
Ammonia as N, Total	0.021	N/A	0.020	mg/L	N/A	Jul-14-15	
Nitrogen, Total Kjeldahl	0.49	N/A	0.05	mg/L	Jul-14-15	Jul-16-15	
pH	7.69	6.5-8.5	0.01	pH units	N/A	Jul-13-15	HT2
Phosphorus, Total as P	0.036	N/A	0.002	mg/L	Jul-13-15	Jul-15-15	
Phosphorus, Total Dissolved	0.023	N/A	0.002	mg/L	Jul-13-15	Jul-15-15	
Turbidity	1.9	OG < 0.1	0.1	NTU	N/A	Jul-13-15	

Calculated Parameters

Nitrate+Nitrite as N	0.093	N/A	0.010	mg/L	N/A	N/A	
Nitrogen, Total	0.579	N/A	0.050	mg/L	N/A	N/A	

Microbiological Parameters

E. coli	600	MAC = None Detected	1	CFU/100 mL	Jul-14-15	Jul-15-15	HT1
---------	-----	---------------------	---	------------	-----------	-----------	-----

Sample ID: Mid Bessette Creek (5070744-03) [Water] Sampled: Jul-12-15 10:20

PRES

REPORTED TO PROJECT Mid Shuswap Lumby Water Stewards
Analytical Testing

WORK ORDER REPORTED 5070744
Jul-20-15

Analyte	Result / Recovery	Standard / Guideline	MRL / Limits	Units	Prepared	Analyzed	Notes
---------	-------------------	----------------------	--------------	-------	----------	----------	-------

Sample ID: Mid Bessette Creek (5070744-03) [Water] Sampled: Jul-12-15 10:20, Continued

PRES

Anions

Chloride	5.74	AO ≤ 250	0.10	mg/L	N/A	Jul-14-15	
Nitrate as N	0.110	MAC = 10	0.010	mg/L	N/A	Jul-14-15	
Nitrite as N	< 0.010	MAC = 1	0.010	mg/L	N/A	Jul-14-15	
Sulfate	19.2	AO ≤ 500	1.0	mg/L	N/A	Jul-14-15	

General Parameters

Conductivity (EC)	235	N/A	2	µS/cm	N/A	Jul-13-15	
Ammonia as N, Total	< 0.020	N/A	0.020	mg/L	N/A	Jul-14-15	
Nitrogen, Total Kjeldahl	0.26	N/A	0.05	mg/L	Jul-14-15	Jul-16-15	
pH	8.03	6.5-8.5	0.01	pH units	N/A	Jul-13-15	HT2
Phosphorus, Total as P	0.075	N/A	0.002	mg/L	Jul-13-15	Jul-15-15	
Phosphorus, Total Dissolved	0.019	N/A	0.002	mg/L	Jul-13-15	Jul-15-15	
Turbidity	6.3	OG < 0.1	0.1	NTU	N/A	Jul-13-15	

Calculated Parameters

Nitrate+Nitrite as N	0.110	N/A	0.010	mg/L	N/A	N/A	
Nitrogen, Total	0.373	N/A	0.050	mg/L	N/A	N/A	

Microbiological Parameters

E. coli	2000	MAC = None Detected	1	CFU/100 mL	Jul-14-15	Jul-15-15	HT1
---------	------	---------------------	---	------------	-----------	-----------	-----

Sample ID: Lower Bessette Creek (5070744-04) [Water] Sampled: Jul-12-15 10:05

PRES

Anions

Chloride	6.30	AO ≤ 250	0.10	mg/L	N/A	Jul-14-15	
Nitrate as N	0.090	MAC = 10	0.010	mg/L	N/A	Jul-14-15	
Nitrite as N	< 0.010	MAC = 1	0.010	mg/L	N/A	Jul-14-15	
Sulfate	22.9	AO ≤ 500	1.0	mg/L	N/A	Jul-14-15	

General Parameters

Conductivity (EC)	255	N/A	2	µS/cm	N/A	Jul-13-15	
Ammonia as N, Total	0.027	N/A	0.020	mg/L	N/A	Jul-14-15	
Nitrogen, Total Kjeldahl	0.24	N/A	0.05	mg/L	Jul-14-15	Jul-16-15	
pH	8.15	6.5-8.5	0.01	pH units	N/A	Jul-13-15	HT2
Phosphorus, Total as P	0.053	N/A	0.002	mg/L	Jul-13-15	Jul-15-15	
Phosphorus, Total Dissolved	0.012	N/A	0.002	mg/L	Jul-13-15	Jul-15-15	
Turbidity	4.0	OG < 0.1	0.1	NTU	N/A	Jul-13-15	

Calculated Parameters

Nitrate+Nitrite as N	0.090	N/A	0.010	mg/L	N/A	N/A	
Nitrogen, Total	0.334	N/A	0.050	mg/L	N/A	N/A	

Microbiological Parameters

E. coli	500	MAC = None Detected	1	CFU/100 mL	Jul-14-15	Jul-15-15	HT1
---------	-----	---------------------	---	------------	-----------	-----------	-----

Sample ID: Shuswap River (Wilsey Dam) (5070744-05) [Water] Sampled: Jul-12-15 09:50

PRES

REPORTED TO PROJECT Mid Shuswap Lumby Water Stewards
Analytical Testing

WORK ORDER REPORTED 5070744
Jul-20-15

Analyte	Result / Recovery	Standard / Guideline	MRL / Limits	Units	Prepared	Analyzed	Notes
---------	-------------------	----------------------	--------------	-------	----------	----------	-------

Sample ID: Shuswap River (Wilsey Dam) (5070744-05) [Water] Sampled: Jul-12-15 09:50, Continued

PRES

Anions

Chloride	0.36	AO ≤ 250	0.10	mg/L	N/A	Jul-14-15	
Nitrate as N	0.040	MAC = 10	0.010	mg/L	N/A	Jul-14-15	
Nitrite as N	< 0.010	MAC = 1	0.010	mg/L	N/A	Jul-14-15	
Sulfate	6.7	AO ≤ 500	1.0	mg/L	N/A	Jul-14-15	

General Parameters

Conductivity (EC)	110	N/A	2	µS/cm	N/A	Jul-13-15	
Ammonia as N, Total	< 0.020	N/A	0.020	mg/L	N/A	Jul-14-15	
Nitrogen, Total Kjeldahl	< 0.05	N/A	0.05	mg/L	Jul-14-15	Jul-16-15	
pH	7.91	6.5-8.5	0.01	pH units	N/A	Jul-13-15	HT2
Phosphorus, Total as P	< 0.002	N/A	0.002	mg/L	Jul-13-15	Jul-15-15	
Phosphorus, Total Dissolved	< 0.002	N/A	0.002	mg/L	Jul-13-15	Jul-15-15	
Turbidity	0.6	OG < 0.1	0.1	NTU	N/A	Jul-13-15	

Calculated Parameters

Nitrate+Nitrite as N	0.040	N/A	0.010	mg/L	N/A	N/A	
Nitrogen, Total	< 0.050	N/A	0.050	mg/L	N/A	N/A	

Microbiological Parameters

E. coli	39	MAC = None Detected	1	CFU/100 mL	Jul-13-15	Jul-14-15	
---------	----	---------------------	---	------------	-----------	-----------	--

Sample ID: Shuswap River (Odd Fellows) (5070744-06) [Water] Sampled: Jul-12-15 09:15

PRES

Anions

Chloride	0.58	AO ≤ 250	0.10	mg/L	N/A	Jul-14-15	
Nitrate as N	0.034	MAC = 10	0.010	mg/L	N/A	Jul-14-15	
Nitrite as N	< 0.010	MAC = 1	0.010	mg/L	N/A	Jul-14-15	
Sulfate	7.9	AO ≤ 500	1.0	mg/L	N/A	Jul-14-15	

General Parameters

Conductivity (EC)	120	N/A	2	µS/cm	N/A	Jul-13-15	
Ammonia as N, Total	0.025	N/A	0.020	mg/L	N/A	Jul-14-15	
Nitrogen, Total Kjeldahl	< 0.05	N/A	0.05	mg/L	Jul-14-15	Jul-16-15	
pH	7.87	6.5-8.5	0.01	pH units	N/A	Jul-13-15	HT2
Phosphorus, Total as P	0.009	N/A	0.002	mg/L	Jul-13-15	Jul-15-15	
Phosphorus, Total Dissolved	< 0.002	N/A	0.002	mg/L	Jul-13-15	Jul-15-15	
Turbidity	1.5	OG < 0.1	0.1	NTU	N/A	Jul-13-15	

Calculated Parameters

Nitrate+Nitrite as N	0.034	N/A	0.010	mg/L	N/A	N/A	
Nitrogen, Total	< 0.050	N/A	0.050	mg/L	N/A	N/A	

Microbiological Parameters

E. coli	110	MAC = None Detected	1	CFU/100 mL	Jul-13-15	Jul-14-15	
---------	-----	---------------------	---	------------	-----------	-----------	--

Sample ID: Vance Creek (Mabel Lake Road) (5070744-07) [Water] Sampled: Jul-12-15 10:35

PRES

REPORTED TO PROJECT Mid Shuswap Lumby Water Stewards
Analytical Testing

WORK ORDER REPORTED 5070744
Jul-20-15

Analyte	Result / Recovery	Standard / Guideline	MRL / Units Limits	Prepared	Analyzed	Notes
Sample ID: Vance Creek (Mabel Lake Road) (5070744-07) [Water] Sampled: Jul-12-15 10:35, Continued						PRES
Anions						
Chloride	2.35	AO ≤ 250	0.10 mg/L	N/A	Jul-14-15	
Nitrate as N	0.032	MAC = 10	0.010 mg/L	N/A	Jul-14-15	
Nitrite as N	< 0.010	MAC = 1	0.010 mg/L	N/A	Jul-14-15	
Sulfate	33.5	AO ≤ 500	1.0 mg/L	N/A	Jul-14-15	
General Parameters						
Conductivity (EC)	390	N/A	2 µS/cm	N/A	Jul-13-15	
Ammonia as N, Total	0.021	N/A	0.020 mg/L	N/A	Jul-14-15	
Nitrogen, Total Kjeldahl	< 0.05	N/A	0.05 mg/L	Jul-14-15	Jul-16-15	
pH	8.34	6.5-8.5	0.01 pH units	N/A	Jul-13-15	HT2
Phosphorus, Total as P	0.006	N/A	0.002 mg/L	Jul-13-15	Jul-15-15	
Phosphorus, Total Dissolved	0.002	N/A	0.002 mg/L	Jul-13-15	Jul-15-15	
Turbidity	1.1	OG < 0.1	0.1 NTU	N/A	Jul-13-15	
Calculated Parameters						
Nitrate+Nitrite as N	0.032	N/A	0.010 mg/L	N/A	N/A	
Nitrogen, Total	< 0.050	N/A	0.050 mg/L	N/A	N/A	
Microbiological Parameters						
E. coli	260	MAC = None Detected	1 CFU/100 mL	Jul-14-15	Jul-15-15	HT1

Sample / Analysis Qualifiers:

HT1 The sample was prepared / analyzed past the recommended holding time.
 HT2 The 15 minute recommended holding time (from sampling to analysis) has been exceeded - field analysis is recommended.
 PRES Sample has been preserved for NH3 & TKN in the laboratory and the holding time has been extended.